



# SRiNi LiNK®

Mfg. of Wires & Cables 

## CONNECT YOUR FUTURE



SRiNi LiNK



srinilink



[www.srinilink.com](http://www.srinilink.com)



## HOUSE WIRES

0.50 SQ.MM to 16.00 SQ.MM  
IS:694:2010  
1100 V



## PANEL WIRES

1.50 SQ.MM to 300 SQ.MM  
IS:694 : 2010  
1100 V



## FLEXIBLE MULTICORE CABLES

0.50 SQ.MM to 50 SQ.MM  
(2 Core to 4 Core)  
(5 Core to 61 Core)  
IS:694:2010  
1100 V



## SUBMERSIBLE CABLES

1.00 SQ.MM to 50 SQ.MM  
IS:694:2010  
1100 V



## ALUMINIUM SERVICE WIRE

1.50 SQ.MM to 10 SQ.MM  
IS:694:2010  
1100 V



## ALUMINIUM PVC or XLPE ARMOURED

1.50 SQ.MM  
to 400 SQ.MM X 4 Core  
IS 7098 (PART 1) : 2015  
1100 V



## ALUMINIUM PVC or XLPE UNARMOURED

1.50 SQ.MM  
to 400 SQ.MM X 4 Core  
IS 7098 (PART 1) : 2015  
1100 V



## COPPER PVC or XLPE UNARMOURED

1.50 SQ.MM  
to 400 SQ.MM X 4 Core  
IS 7098 (PART 1) : 2015  
1100 V



## SOLAR CABLES

1.50 SQ.MM to 240 SQ.MM  
IEC:62930:2017  
1000 V AC / 1500 V DC



## FLEXIBLE ALUMINIUM LIGHTING ARRESTOR CABLE

1.50 SQ.MM to 300 SQ.MM  
IS:694 : 2010  
1100 V



## COPPER PVC or XLPE ARMOURED

1.50 SQ.MM  
to 400 SQ.MM X 4 Core  
IS 7098 (PART 1) : 2015  
1100 V



## AUTO BATTERY CABLES

8.0 SQ.MM to 120 SQ.MM  
IS 6722-1:2011  
(ISO 19642-3:2019)  
60/600 V



## LAN CABLES

CAT 5 (4 Pair)  
CAT 6 (4 Pair)



## PVC SLEEVE

SLITTED (3-32MM) \  
NON-SLITTED (2-32MM)  
+70° C TO 135° C  
-5° C TO -40° C



## UL 758

Appliance Wiring Material

UL1007/1015/1569 (Single Core)  
UL 2129/2464 (Multicore)  
300 V / 600 V / 1000 V



## BRAIDED WIRES (ROUND & STRIP FORM)



## JUMPER WIRES




## SPEAKER WIRE

0.50 SQ.MM to 2.50 SQ.MM  
IS:694:2010  
1100 V



## PVC L-PROFILE

SIZE AS PER  
CUSTOMER REQUIREMENT



## UL 62

Appliance Wiring Material

SPT-1 (20 AWG to 18 AWG)  
SPT-2 (18 AWG to 14 AWG)  
SPT-3 (18 AWG to 10 AWG)  
300 V



## SHIELDED CABLES SCREEN CABLES INSTRUMENTATION CABLES

### LIST OF OUR END USER CUSTOMERS

#### TIER 1 CUSTOMERS



#### AUTOMOBILE



#### PANEL & SWITCH BOARD



#### APPLIANCES



#### APPROVAL



#### POWER DISTRIBUTION



#### MEDICAL EQUIPMENT



#### CONSTRUCTION EQUIPMENT



FACTORY  
BUILTUP AREA  
**23,000 SQ.FT.**





# SRiNi LiNK®

Mfg. of Wires & Cables   
**CONNECT YOUR FUTURE**

## We serve ONLY Quality

### PRODUCT RANGE

#### INFRASTRUCTURE SEGMENT PRODUCTS

- 1 BUILDING WIRES (FR / FR-LSH / ZHFR)
- 2 PANEL WIRES (TYPE A / FR / HRFR / FR-LSH / ZHFR)
- 3 MULTICORE WIRES (TYPE A / FR / HRFR / FR-LSH / ZHFR)
- 4 SUBMERSIBLE CABLES (TYPE A)
- 5 TELEPHONE CABLES (IN 0.40 & 0.50 MM IN COPPER) - FR / FR-LSH
- 6 LAN CAT-5 / 5E, 6 CABLES (FR / FR-LSH)
- 7 COPPER ARMoured & UNARMoured CABLES
- 8 ALUMINIUM ARMoured & UNARMoured CABLES  
AS PER IS : 1554 & 7098 (UPTO 400 SQMM X 4.00 CORE)

#### SOLAR CABLES

- 9 SOLAR PV CABLE (EN 50618)
- 10 SOLAR PV CABLE (IS 694:2010)
- 11 LIGHTENING ARRESTER CABLE (IS 694:2010)

#### AUTOMOBILE SEGMENT PRODUCTS

- 12 AUTOMOBILE & BATTERY CABLES  
(IS / BS / JIS / JASO / DIN / ISO STANDARD)
- 13 HR CABLES (HIGH TEMPERATURE RESISTANCE CABLE)
- 14 TPU CABLES (THERMOPLASTIC POLYURETHENE)
- 15 PVC SLEEVES (HR / FR)

#### APPLIANCES SEGMENT PRODUCTS

- 16 POWER CORDS CABLES (AS PER IS:694 OR Customised)
- 17 UL 758 (AMERICA & CANADA STANDARD)
- 18 UL-62 - SPT-1, SPT-2 & SPT-3 FLEXIBLE CORD CABLE  
(AMERICA & CANADA STANDARD)

#### SPECIAL SEGMENT PRODUCTS

- 19 SCREENED & UNSCREENED CABLES (SINGLE & MULTICORE)
- 20 ROUND BRAIDED WIRES & FLAT BRAIDED WIRES (SHORTLINE)
- 21 JUMPER WIRES



**SRiNi LiNK**

**Regd. Office & Works:** Plot No. 1308/2, 1308/1 & 1309/2,  
Road No. 18, Phase 3, G I D C Industrial Estate, Umbergaon - 396171, Gujarat. • Tel.: +91 260 2562712  
E: [sl.marketing@srinilink.com](mailto:sl.marketing@srinilink.com) • W: [www.srinilink.com](http://www.srinilink.com)